

Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com

© 2022 Shenzhen Shumatt Technology Co., Ltd

Tel: +8675523215133

Website: www.shumatt.com



294200-0400 Fuel Pump SCV Valve Technical File

Appet Maria Maria Content

| 1.2942 | 200-0400 | Fuel Pun | np SCV Va | alve Intro | duction. | | | - CP-1 | | Dir.1 | | 3 |
|-----------------------------|--|--|---------------------|--|--|--|-------------------|----------------------------|-------------------------|----------|-------------------------|---------------|
| 1 | 1.294200- | 0400 Fue | el Pump S | SCV Valve | Basic In | formatio | n | تىمىيىسىد | i | | i | 3 |
| 9 1 | 2.294200 | -0400 sc | V Valve | Application | on to Fu | el Pump I | nformati | on | .50 ^{30,300} | 58,300 | -50 ^{35,50} ** | 3 |
| 1 | 3 294200 | -0400 Fi | iel Piimn | SCV Valv | e Specif | ications a | nd Dime | nsions | | | | 3 |
| 1.00 | 4.294200 | -0400 Fu | iel Pump | SCV Valv | e Qualit | y Control | | | | | | 3 |
| 1. | 5.294200 | -0400 Fu | iel Pump | SCV Valv | e Custor | mized Ser | vice | .30 | .30 | 30. | 384 | 3 |
| 1 | 6.294200 | -0400 Fi | iel Pump | SCV Valv | e Packin | g List | l | l | l | Ši | S | ₫4 |
| 90 ^{0,300} 1 | 7.294200 | -0400 Fu | iel Pump | SCV Valv | e Warra | nty Instru | uctions | SIL 200 | 557,500 | 517.500 | 500000 | 5 |
| 1. | 8.294200 | -0400 Fu | iel Pump | SCV Valv | e Manuf | facturer | , | | | | | |
| 2.294 | 200-0400 | Fuel Pun | np SCV Va | alve Tech | nical Sup | port | · addition | · <u></u> | · | 1 | | 6 |
| 9n 2. | 1.294200 | -0400 Fu | iel Pump | SCV Valv | ∕e Techni | ical Supp | ort Obtai | ning Met | hods | 294 | \$57T | 6 |
| | 200-0400 | | • | | | | | - | | | îî | ್6 |
| 3,000 | 1.294200 | -0400 Fu | uel Pump | SCV Valv | e Purcha | ase Paym | ent Metl | nods | 20,000 | 58 500 · | 38 Jan . | 6 |
| 3 | 2 294200 | -0400 Fr | iel Piimn | SCV Valv | e Main 9 | Sales Mai | rkets | | | <u>.</u> | , | 6 |
| 3 | 3.294200 | -0400 Fu | iel Pump | SCV Valv | ve Declar | ration Red | quiremer | nts | 1000 | | 100 | 6 |
| 3. | 4.294200 | -0400 Fu | iel Pump | SCV Valv | e Shippi | ng Ways. | | | -501 | 294. | 94. | 6 |
| | 5.294200 | | | | | | | | | | | |
| V. 2000a. | 6.294200 | A 100 PM | 46.70077 | 46.7577 | 66 (0.00) | F1 700 | 46.7967 | 6.4000 | 4.500 | 4. 500 | 44,000 | 60 |
| | 7.294200 | | - | | - | | | | | | | |
| | 5 h | | 1 | 9 10 10 10 10 10 10 10 10 10 10 10 10 10 | | | 5 75 | A 177 | L | 1 | 3 | 1. 1 |
| 4.2942 | 200-0400 | Fuel Pun | np SCV Va | alve Stora | age Stand | dard | | | | | | 8 |
| 350.0 | 54.1 | Fuel Pum | 200 | 200 | 1776 | 100 | 50.0 | 150.0 | | | | 8 9 |
| 5.Com | pany Infori 1. Compar | mation | uction | | | (3) (1) | | | | .301. | 500000 | 9 9 |
| 5.Com | pany Infori 1. Compar | mation | uction | | | (3) (1) | | | | .301. | | 9 9 9 |
| 5.Com 5 | pany Infori | mation ny Introd en's Con | uction tact Info | | | (3) (1) | | | | .301. | | 9 9 |
| 5.Com 5 | pany Infori 1. Compar 2. Sales-m | mation ny Introd en's Con | uction tact Info | | | (3) (1) | | | | .301. | | 9 9 |
| 5.Com 5 | pany Infori 1. Compar 2. Sales-m | mation ny Introd en's Con | uction tact Info | | | (3) (1) | | | | .301. | | 9 9 |
| 5.Com 5 | pany Infori 1. Compar 2. Sales-m | mation ny Introd en's Con | uction tact Info | | | (3) (1) | | | | .301. | | 9 9 |
| 5.Com 5 | pany Infori 1. Compar 2. Sales-m | mation ny Introd en's Con | uction tact Info | | | (3) (1) | | | | | | 9 9 |
| 5.Com 5. 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | | Strategy, | STALLOWN STALLOWN | SHADON C | | | | 9 10 10 |
| 5.Com 5. 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | | Strategy, | STALLOWN STALLOWN | SHADON C | | | | 9 |
| 5.Com 5. 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | SPECIFIC SPECIFICATION OF THE PROPERTY OF THE | | SHADON'S SHADON'S | SHOOM, SHOOM, SHOOM, | SHOWL SHOWL SHOWL | | | 9 |
| 5.Com 5. 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | SPECIFIC SPECIFICATION OF THE PROPERTY OF THE | | SHADON'S SHADON'S | SHOOM, SHOOM, SHOOM, | SHOWL SHOWL SHOWL | | | 9 |
| 5.Com 5. 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | SPECIFIC SPECIFICATION OF THE PROPERTY OF THE | | SHADON'S SHADON'S | SHOOM, SHOOM, SHOOM, | SHOWL SHOWL SHOWL | | | 9 |
| 5.Com 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | SPECTRAL SPECTRA SPECTRAL SPECTRA SPECTRA SPECTRA SPECTRAL SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECT | SPLEASE. | SHOPPEL SHOPPEL | SHOOM, SHOOM, SHOOM, | SHOWER C | | | 91010 |
| 5.Com 5. 6. Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uction tact Info | mation | SPECTRAL SPECTRA SPECTRAL SPECTRA SPECTRA SPECTRA SPECTRAL SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECTRA SPECT | SPLEASE. | SHOPPEL SHOPPEL | SHOOM, SHOOM, SHOOM, | SHOWER C | | | 91010 |
| 5.Com 5.6.Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uctiontact Info | mation | SPECTORY SPE | Supposed and the supposed of t | SHUDDEN C | SHOOM! | SPANNET SPANNET | | | 910101010 |
| 5.Com 5.6.Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uctiontact Info | mation | SPECTORY SPE | Supposed and the supposed of t | SHUDDEN C | SHOOM! | SPANNET SPANNET | | | 910101010 |
| 5.Com 5.6.Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uctiontact Info | mation | SPECTORY SPE | Supposed and the supposed of t | SHUDDEN C | SHOOM! | SPANNET SPANNET | | | 910101010 |
| 5.Com 5.6.Cop | pany Infori 1. Compar 2. Sales-m yright State | mation ny Introd en's Con ement | uctiontact Info | mation | SPECIFIC SPECIFICATION OF THE PROPERTY OF THE | | SHUDEN C | SPANNET C | SPANNE SPANNE | | | |

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



294200-0400 Fuel Pump SCV Valve Technical File

1.294200-0400 Fuel Pump SCV Valve Introduction

1.1,294200-0400 Fuel Pump SCV Valve Basic Information

| Title | China Made New 294200-0400 Fuel Pump SCV Valve | SCV Valve | w 294200-0400 Fuel Pum | na Made Ne | China | , | | Title | |
|-------|--|--------------|------------------------|--------------|--------|---------|---------|-------|--|
| SKU1 | G1Z212942000400 | Tribe, Tribe | G1Z212942000400 | Transition . | 100 PM | 4.00555 | COST 15 | SKU1 | |

1.2.294200-0400 SCV Valve Application to Fuel Pump Information

(1) 294200-0400 Fuel Pump SCV Valve Application to Car Model Information

| SCV Valve Part Number | Car Model | OE Number | OE Number |
|-----------------------|-------------|------------|--|
| 294200-0400 | STATE STATE | THE STREET | and the state of t |

(2) 294200-0400 Fuel Pump SCV Valve Application to Fuel Pump Part Number Information

| Fuel Pump Series | Fuel Pump Part No. OE Number | | | Ca | r Model | Engin | e Model | | |
|---------------------|------------------------------|---------|--|-------|---------|-------|---------|--|--|
| - di | didi | eri eri | | Let's | ti | -45 | | | |

(3) 294200-0400 Fuel Pump SCV Valve Part Number Common Written

294200-0400, 294200-0401, 294200-0402, 294200-0403, 294200-0404, 294200-0405, 294200-0406, 294200-0407, 294200-0408, 294200-0409, 294200-040#, 2942000400, 2942000401, 2942000402, 2942000403, 2942000404, 2942000405, 2942000406, 2942000407, 2942000408, 2942000409,294200040#

1.3.294200-0400 Fuel Pump SCV Valve Specifications and Dimensions

Fuel Pump SCV Valve Size: 6cm*5 cm *5 cm Fuel Pump SCV Valve Box Size: 9 cm *8 cm *7 cm Fuel Pump SCV Valve Package Size: 10 cm *9 cm Fuel Pump SCV Valve Net Weight: 0.16kg

Fuel Pump SCV Valve Gross Weight: 0.19kg Fuel Pump SCV Valve Quality: China Made New SCV Valve

Fuel Pump SCV Valve MOQ: 4 pieces

1.4.294200-0400 Fuel Pump SCV Valve Quality Control

(1) Fuel Pump SCV Valve Test

All fuel pump SCV valve spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Fuel Pump SCV Valve Inspection

The factory inspection of the fuel pump SCV valve is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same fuel pump SCV valve for a total of no less than three times for factory inspection, and fuel pump SCV valve installation and test environment are progressed in dust-free workshop.

1.5.294200-0400 Fuel Pump SCV Valve Customized Service

(1) Fuel Pump SCV Valve's Customized Service: Meet the customized needs of OEM manufacturers for SCV valve's lettering, SCV valve's package and label customized etc.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

. weight.

Email: ruby@shumatt.com Website: www.shumatt.com





(2) Fuel Pump SCV Valve's Customized Service Requirements:

Custom fuel pump SCV valve packages are not less than 100 pieces.

Custom fuel pump SCV valve lettering no less than 100 pieces.

The purchase of custom fuel pump SCV valves are not less than 1000pieces.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

▲ Once the customized fuel pump SCV valve is sold, it cannot be returned or exchanged if there are no quality problems.

1.6.294200-0400 Fuel Pump SCV Valve Packing List

(1) Fuel Pump SCV Valve Spare Parts List

| No. | att auti auti auti | No. | 1 3571 35712 | 1995 |
|-------------------|--------------------------|----------------|-------------------------------------|----------------|
| Strang Strang | A 500 A 500 A 500 A 500 | fare Stare | SI _{FO} | 350 |
| SHOWER SHOW | | FIGURE SPECIAL | SPAN II | 81° |
| Image | | Image | SANA. | \$185 157 |
| all Marie and the | 8 | | and the second | 5 ⁵ |
| Name | Fuel Pump SCV Valve | Name | Anti-Rust Bag | _ |
| Descriptio n | Part number: 294009-0120 | Description | Protect SCV valve from b damaged | eing |
| No. | of of 3 | No. | 4 | 1700 |

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com

Image Name Accessories Name SCV Valve Box Protect SCV valve from being damaged Description Name SCV valve with accessories

Minors are forbidden to use SCV valve, SCV valve accessories, SCV valve box and anti-rust bag to avoid personal injury.

SCV valve box is recyclable accessories that can be reused.

VCI anti-rust bag is non-degradable materials, please dispose them properly after using.

1.7.294200-0400 Fuel Pump SCV Valve Warranty Instructions

(1) Fuel Pump SCV Valve Warranty Conditions and Instructions

It is necessary to provide pictures, videos of fuel pump SCV valve or test reports of fuel pump SCV valve inspection equipment as evidence to feed back to the salesman.

Fuel pump SCV valve abnormal conditions are properly explained such as: 1.Black smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

Above problems also may cause by the incorrect installation of fuel pump, if the problems are confirmed to be product's problems after tested by Shumatt, it is within the warranty coverage.

(2) Fuel Pump SCV Valve Warranty Coverage

After customers receive the 294200-0400 fuel pump SCV valve within 15 days, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 294200-0400 fuel pump SCV valve has performance problems during the warranty period (3 months), and it is confirmed to be product's problems after being tested, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the fuel pump SCV valve has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

Tips: For products not within warranty period, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

(3) Fuel Pump SCV Valve Out of Warranty Coverage

The fuel pump SCV valve's warranty period has expired.

Fuel pump SCV valve failure caused by high temperature, high pressure, humidity, rain and snow, salinealkali land, earthquake, and used in abnormal environment.

Fuel pump SCV valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).

Fuel pump SCV valve failure or injector damage caused by non-fuel pump SCV valve's design, technology, manufacturing, quality and other issues.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Fuel pump SCV valve failure due to system pressure exceeding system approved pressure.

Fuel pump SCV valve failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.

Fuel pump SCV valve failure caused by not installing according to the tightening torque specified in fuel pump maintenance manual (the tightening torque is too large or too small).

Fuel pump SCV valve failure caused by not following the installation angle specified in fuel pump maintenance manual.

Fuel pump SCV valve failure caused by not following the cleaning requirements specified in fuel pump maintenance manual. 200

Fuel pump SCV valve failure caused by failure to replace consumable parts as specified in fuel pump maintenance manual.

1.8.294200-0400 Fuel Pump SCV Valve Manufacturer

SCV Valve's Manufacturer: Shenzhen Shumatt Technology Co., Ltd

2.294200-0400 Fuel Pump SCV Valve Technical Support

2.1.294200-0400 Fuel Pump SCV Valve Technical Support Obtaining Methods

- (1) Fuel Pump SCV Valve Technical File, visit http://shumatt.comto get the technical file.
- (2) Fuel Pump SCV Valve Technical Videos

Facebook: Visit https://www.facebook.com/hison.li to get the technical videos, constantly follow can get more information.

YouTube: Visit https://www.youtube.com/channel/UCByvYBx7VjV mAfxh Hu-aw to get the technical videos, constantly follow can get more information.

Shumatt: Visit http://shumatt.com to get the technical videos.

(3) Fuel Pump SCV Valve Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit http://shumatt.com to get the download and installation tutorial

(4) Search fuel pump SCV valve test data through TruckBook Parts EPC APP.

3.294200-0400 Fuel Pump SCV Valve Purchase and Delivery

3.1.294200-0400 Fuel Pump SCV Valve Purchase Payment Methods

Payment Methods: T/T, PayPal, Alipay, WeChat

Please contact our salesmen for specific payment information.

3.2.294200-0400 Fuel Pump SCV Valve Main Sales Markets

SCV Valve Main Sales Markets: Asia, Europe, North America, South America, Africa etc.

3.3.294200-0400 Fuel Pump SCV Valve Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4.294200-0400 Fuel Pump SCV Valve Shipping Ways

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Destinations out of China's areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5.294200-0400 Fuel Pump SCV Valve Lead time

Lead time: Send out within 3-7 working days after receiving payment (Except for special products and special cases).

3.6.294200-0400 Fuel Pump SCV Valve Logistics Time for Destination Out of China's Areas

DHL Logistics Time:

| Country or Region of Departure | Hong Kong, China | Other Countries or Regions of Asia | Australia and New Zealand | Europe | America | Other Countries |
|--------------------------------|------------------------|--|------------------------------|--------|--------------|--------------------|
| China's Mainland | 7 Days | 7 Days | 8 Days | 8 Days | 8-12 Days | 7-10 Days |

UPS Logistics Time: Country or Region of Departure: China's Mainland

| Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time |
|------------------------|------------------------------|------------------------|------------------------------|---------------------------|------------------------------|
| Japan | 3 Days | UK AT | 5-7 Days | Egypt | 5-7 Days |
| Turkey | 5-7 Days | Singapore | 3 Days | Switzerland | 5-7 Days |
| Bahrain | 5-7 Days | Latvia | 7-10 Days | New Zealand | 7-10 Days |
| Sri Lanka | 5-7 Days | Thailand | 3 Days | Austria | 5-7 Days |
| Romania | 5-7 Days | Vietnam | 3-5 Days | Estonia | 5-7 Days |
| Malaysia | 3-5 Days | Israel | 5-7 Days | Mexico | 7-10 Days |
| France | 5-7 Days | America | 5-7 Days | United Arab Emirates | 5-7 Days |
| Italy | 5-7 Days | Netherlands | 5-7 Days | Bengal | 7-10 Days |
| Lebanon | 5-7 Days | Philippine | 3-5 Days | Greece | 7-10 Days |
| South Korea | 3 Days | Spain | 5-7 Days | Myanmar | 5-7 Days |
| Canada | 5-7 Days | Germany | 5-7 Days | Saudi Arabia | 7-10 Days |
| Portugal | 5-7 Days | Australia | 5-7 Days | South Africa | 7-10 Days |
| Denmark | 5-7 Days | Belgium | 5-7 Days | Ukraine | 7-10 Days |
| India | 7-10 Days | Qatar | 7-10 Days | Poland | 5-7 Days |
| Indonesia | 3-5 Days | Morocco | 7-10 Days | Pakistan | 7-10 Days |
| Kuwait | 7-10 Days | 21, 21, 21 | C 28 | 340. 340. 340. | 3100 3 |

The logistics time is for reference only, subjects are according to the actual arrival.

3.7.294200-0400 Fuel Pump SCV Valve Packing

Domestic express packaging: Usually wrapped with waterproof scotch tape, such as picture No.1.

International express packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 4,

Also, the products can be packaged according to customers' requirements.

The packing tray is made of plastic and can be recycled.

▲ Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.



Pic No. 1

Domestic express packaging:

Wrapped by Transparent tape



Pic No. 2

International express packaging:

Wrapped with yellow tape after wrapping black protective film



Pic No. 3

Pallet Shipping: Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4.294200-0400 Fuel Pump SCV Valve Storage Standard

(1) Choose a suitable storage place

The warehouse and cargo yard where fuel pump SCV valve is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acid, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict requirements of warehousing

Strict inspections should be carried out when fuel pump SCV valves are put into storage, the surface

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. The packed fuel pump SCV valves must be protected from being damaged.

(3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for fuel pump SCV valves placed in the room, and the corrosion of fuel pump SCV valves is significantly reduced.

fuel pump SCV valves must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the fuel pump SCV valve is exposed in rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the fuel pump SCV valve from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If fuel pump SCV valve package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

It is forbidden to leave the fuel pump SCV valve exposed in the air for a long time.

▲ It is forbidden to store acid, alkali, salt and other substances together with the fuel pump SCV valve.

▲ The unpacked fuel pump SCV valve must be rust-proof during secondary storage.

5. Company Information



5.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd.

■ Mob Phone/WeChat: +86-13410541523

☐ HK Telephone: +852-67653519

Telephone: +86-755-23215133

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Email: ruby@shumatt.com

Website: www.shumatt.net

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Shenzhen Office: Room 428-430, Building B, Huafeng Zhigu Technology Industrial Park, Exit B, Fuyong Metro Station, Bao'an District, Shenzhen, China's Mainland

Hong Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

After-sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.7. 294200-0400 Fuel Pump SCV Valve's Warranty Instructions.)

5.2. Sales-men's Contact Information

| No. | Name | WeChat/ WhatsApp | Email | Facebook | YouTube |
|---------|------------------------------------|-------------------------|-------------------------------|--------------------|--------------------|
| 1 | Ruby | +86-13410541523 | ruby@shumatt.com | Hison Li | Hison Li |
| 2 | lvy- | +86-18025309821 | sales@shumatt.com | Ivy Shumatt | Shumatt IVY |
| 3 | Rebecca | +86-18025349821 | sales01@shumatt.com | Rebecca SHUMATT | SHUMATT Rebecca |
| 4 | Janny | +86-18028749821 | sales02@shumatt.com | Janny shumatt | Janny Shumatt |
| 5 | െ sam കറി | +86-13316859821 | Sales8@shumatt.com | Shumatt Sam | Sam Shumatt |
| 6 | Natalie | +86- 18938945856 | sales15@shumatt.com | Shumatt Natalie | Lin Natalie |
| 7.65 | Ada | +86-1342286353 | sales5@shumatt.com | Shumatt Ada | Ada Shumatt |
| 8 | Hison Li | +86-18318811871 | web@shumatt.com | Hison Li | Hison Li |
| 9 | Mecca | +86-18938948618 | sales11@shumatt.com | Shumatt Mecca | Shumatt Mecca |
| 10 | Eric | +86 18319033618 | sales3@shumatt.com | 51 | 2-1 |
| 1,1,0,0 | Wayne (Joaquín en español) | +86-13316959821 | wayne@shumatt.com | shumattway ne | Wayne Shumatt |
| 12 | Sylvia Sylvia | +86 18312499884 | sales6@shumatt.com | in the second | Mary M. |
| 57,00 | Visit <u>http:/</u> | /www.shumatt.com to | obtain the latest information | on of salesmen | \$1.50° |
| | DS. S | humatt's sales-men's en | nails are all end with @shu | matt.com | |

PS: Shumatt's sales-men's emails are all end with @shumatt.com

6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sound, videos, etc.) provided in "294200-0400 Fuel Pump SCV Valve Technical File" belong to Shenzhen Shumatt Technology Co., Ltd., without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "294200-0400 Fuel Pump SCV Valve Technical File" in any way. At the same time, any conditions to spread, re-post, display the contents of "294200-0400 Fuel Pump SCV Valve Technical File" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "294200-0400 Fuel Pump SCV Valve Technical File" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com