

X39800300006Z Fuel Pump VCV Valve Technical File

SKU: Y1Z20800300006Z





X39800300006Z Fuel Pump VCV Valve Technical File

content

1. X39800300006Z Fuel Pump VCV Valve Introduction	2
1.1. X39800300006Z Fuel Pump VCV Valve Basic Information	2
1.2. X39800300006Z Fuel Pump VCV Valve Application Fuel Pump Information	2
1.3. X39800300006Z Fuel Pump VCV Valve Specifications and Dimensions	2
1.4. X39800300006Z Fuel Pump VCV Valve Quality Control	2
1.5. X39800300006Z Fuel Pump VCV Valve Customized Service	
1.6. X39800300006Z Fuel Pump VCV Valve Packing List and Package Size	3
1.7. X39800300006Z Fuel Pump VCV Valve Warranty Instructions	4
1.8. X39800300006Z Fuel Pump VCV Valve Manufacturer	5
2. X39800300006Z Fuel Pump VCV Valve Technical Support	5
2.1. X39800300006Z Fuel Pump VCV Valve Technical Support Obtaining Methods	5
3. X39800300006Z Fuel Pump VCV Valve Purchase and Delivery	5
3.1. X39800300006Z Fuel Pump VCV Valve Purchase Payment Term	5
3.2. X39800300006Z Fuel Pump VCV Valve Main Sales Markets	5
3.3. X39800300006Z Fuel Pump VCV Valve Declaration Requirements	5
3.4. X39800300006Z Fuel Pump VCV Valve Shipping Ways	5
3.5. X39800300006Z Fuel Pump VCV Valve Lead time	55
3.6. X39800300006Z Fuel Pump VCV Valve Logistics Time for Destination Out of China's Area	ıs6
3.7. X39800300006Z Fuel Pump VCV Valve Packing	ε
4. X39800300006Z Fuel Pump VCV Valve Storage Standard	7
5. Company Information	8
5.1. Company Introduction	9
5.2. Sales-men's Contact Information	9
6. Copyright Statement	10

Tel: +8675523215133 Mob/WhatsApp: +86 13410541523 Email: ruby@shumatt.com

© 2025 Shenzhen Shumatt Technology Co., Ltd

Website: www.shumatt.com



X39800300006Z Fuel Pump VCV Valve Technical File

1. X39800300006Z Fuel Pump VCV Valve Introduction

1.1. X39800300006Z Fuel Pump VCV Valve Basic Information

Title	Common Rail X39800300006Z Fuel Pump VCV Valve	Quality
SKU	Y1Z20800300006Z	Original New

1.2. X39800300006Z Fuel Pump VCV Valve Application Fuel Pump Information

(1) Fuel Pump VCV Valve Application Car Model Information

Fuel Pump VCV Valve Part Number	Car Model	OE Number	OE Number	
X39800300006Z	SHOW / SHOW	show / show	SHOW SHOW SK	

(2) Fuel Pump VCV Valve Application Fuel Pump Model Information

Series Configuration	Oil Pump Part Number	System Pressure	Re- manufactur ed Number	System Pressure	Universal Number	System Pressure
VDO IM	5WS40018Z		A. S. William	HUMPY TH	West, Norway	THURST THE

(3) Fuel Pump VCV Valve Part Number Common Writing

X39800300006Z, 5WS40018Z, X398 003 000 06Z

1.3. X39800300006Z Fuel Pump VCV Valve Specifications and Dimensions

Fuel Pump VCV Valve Size: 8cm* 7cm *5cm

Fuel Pump VCV Valve Package Size: 10cm*9 cm *7 cm

Fuel Pump VCV Valve Net Weight: 0.20g
Fuel Pump VCV Valve Gross Weight: 0.23g
Fuel Pump VCV Valve MOQ: 4 Pieces

1.4. X39800300006Z Fuel Pump VCV Valve Quality Control

(1) Fuel Pump VCV Valve Testing

All fuel pump VCV valve spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Fuel Pump VCV Valve Inspection

The factory inspection of the fuel pump VCV valve is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same fuel pump VCV valve for more than three times for factory inspection, and the fuel pump VCV valve installation testing environment are progressed in dust-free workshop.

(3) Fuel Pump VCV Valve Assembling

When assembling the oil pump VCV valve, our company strictly follows the standard oil pump VCV valve technical indicators to ensure that each oil pump VCV valve meets the factory standards and usage standards.

1.5. X39800300006Z Fuel Pump VCV Valve Customized Service

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



(1) **Fuel Pump VCV Valve's Customized Service Coverage:** Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, fuel pump VCV valve internal packaging, fuel pump VCV valve external packaging and labels customized, etc.

No.	1	2	3
Image	19 2017		SHUMATT Technology Co., Ltd Wass shumatt cam 1 PCS Made by Shamatt Hetch on Shamatt Hetch on Shamatt
Name No.	Lettering 4	Anti-rust Bag 5	Shumatt White Label 6
Image	SA SHARATT	HUMFITT SHUMFITT	TT SHUMFITT
Name	Shumatt Packing	A THE THE WATER TO SHOW THE WA	TT SAUMFITT

(2) Fuel Pump VCV Valve's Customized Service Requirements:

The quantity of customized fuel pump VCV valve packages shall not be less than 100 pieces.

The quantity of customized fuel pump VCV valves shall not be less than 100 pieces.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

• Once the customized fuel pump VCV valve is sold, it cannot be returned or exchanged if there is no quality problem.

1.6. X39800300006Z Fuel Pump VCV Valve Packing List and Package Size

(1) Fuel Pump VCV Valve Spare Parts List

No.	1	2	3
Image	AUMITY SH	INFIT A STATE OF THE STATE OF T	8 928 406 571
AUMFITT SHUMFITT	Almiti Shum Shumiti	MATT SHUMENT SHUMENT	our. String.
Name	Fuel pump VCV valve assy	Yellow Anti-rust bag	VCV valve packaging box

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website : www.shumatt.com



Description	Measuring unit number: X39800300006Z	Prevent VCV valve from rusting	Prevent the VCV valve from being damaged
-------------	---	--------------------------------	--

Minors are forbidden to use the fuel pump VCV valve assembly, anti-rust bag, and packaging box to avoid personal injury.

The measuring unit packaging box is recyclable accessories and can be recycled.

VCI anti-rust bags are non-degradable materials, please dispose them properly after using.

1.7. X39800300006Z Fuel Pump VCV Valve Warranty Instructions

(1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the fuel pump VCV valve inspection equipment when the fuel pump VCV valve is abnormal during use as evidence to feed back to the salesman. Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

(2) Fuel Pump VCV Valve Warranty Coverage

Within 15 days after customer receives the X39800300006Z fuel pump VCV valve, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair

If the X39800300006Z fuel pump VCV valve has performance problems during the warranty period (3 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the product is confirmed to be fault-free, it will be returned in its original condition.

(3) Fuel Pump VCV Valve Out of Warranty Coverage

- The warranty period has expired.
- ② Fuel pump VCV valve failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- 3 Fuel pump VCV valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- Fuel pump VCV valve failure or VCV Valve damage caused by non-fuel pump VCV valve design, technology, manufacturing, quality, and other issues.
 - ⑤ Fuel pump VCV valve failure due to system pressure exceeding system approved pressure.
- Fuel pump VCV valve failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- Tuel pump VCV valve failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
 - 8 Fuel pump VCV valve failure caused by not following the installation angle specified in the fuel pump maintenance manual.
 - Fuel pump VCV valve failure caused by not following the cleaning requirements specified in the fuel

Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com Website: www.shumatt.com



pump maintenance manual.

① Fuel pump VCV valve failure caused by failure to replace consumable parts as specified in the fuel pump maintenance manual.

1.8. X39800300006Z Fuel Pump VCV Valve Manufacturer

Fuel Pump VCV Valve's Manufacturer: Shenzhen Shumatt Technology Co., Ltd

2. X39800300006Z Fuel Pump VCV Valve Technical Support

2.1. X39800300006Z Fuel Pump VCV Valve Technical Support Obtaining Methods

- (1) Fuel Pump VCV Valve Technical File, visit http://shumatt.com to get the technical file.
- (2) Fuel Pump VCV Valve Technical Videos

Facebook: Visit https://www.facebook.com/hison.li to get the technical videos, constantly follow can get more information.

YouTube: https://www.youtube.com/channel/UCByvYBx7VjV mAfxh Hu-aw to get the technical videos, constantly follow can get more information.

Shumatt: Visit http://shumatt.com to get the technical videos.

(3) Fuel Pump VCV Valve Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit http://shumatt.com to get the download and installation tutorial

(4) Search The fuel pump VCV valve test data through TruckBook Parts EPC APP.

3. X39800300006Z Fuel Pump VCV Valve Purchase and Delivery

3.1. X39800300006Z Fuel Pump VCV Valve Purchase Payment Term

Payment Terms: T/T, PayPal, Alipay, WeChat

A

Please contact our salesmen for specific payment information.

3.2. X39800300006Z Fuel Pump VCV Valve Main Sales Markets

Fuel Pump VCV Valve main sales markets: Asia, Europe, North America, South America, Africa etc.

3.3. X39800300006Z Fuel Pump VCV Valve Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. X39800300006Z Fuel Pump VCV Valve Shipping Ways

Destination in China Areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations Out of China's Areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. X39800300006Z Fuel Pump VCV Valve Lead time

Lead time: Send out within 3 – 7 working days after receiving payment (Except for special products and special cases)

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



3.6. X39800300006Z Fuel Pump VCV Valve Logistics Time for Destination Out of China's Areas

DHL Logistics Time:

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Days	7-10 Days

Country or Region of Departure: China's Mainland

UPS Logistics Time: Country or Region of Departure: China's Mainland					
Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	1 31, 31,	1	31. 31. 3	1 31,2



• The logistics time is for reference only and is subject to the actual arrival.

3.7. X39800300006Z Fuel Pump VCV Valve Packing

Domestic express packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.

Tel: +8675523215133 Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com Website: www.shumatt.com



International express packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

The packing tray is made of plastic and can be recycled.

⚠ Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.



Pic No. 1 Domestic express packaging: Wrapped with Transparent tape



Pic No. 2 International express packaging: Wrapped with yellow tape after wrapping black protective film



Pic No. 3

Pallet Shipping: Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. X39800300006Z Fuel Pump VCV Valve Storage Standard

(1) Choose a suitable storage place

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133 Website: www.shumatt.com

Email: ruby@shumatt.com



The warehouse and cargo yard where the fuel pump VCV valve is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict requirements of warehousing

Strict inspections should be carried out when the fuel pump VCV valves are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash, and other dirt, remove the rust and do anti-rust treatment in time. Packaged fuel pump VCV valves must be protected from damage.

Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for the fuel pump VCV valves placed in the room, and the corrosion of the fuel pump VCV valves is significantly reduced.

Fuel Pump VCV Valves must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the fuel pump VCV valve is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the fuel pump VCV valve from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If the fuel pump VCV valve package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.



It is forbidden to leave the fuel pump VCV valve exposed in the air for a long time

🔼 It is forbidden to store acids, alkali, salt, and other substances together with the fuel pump VCV



The unpacked fuel pump VCV valve must be rust-proof during secondary storage.

5. Company Information

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



5.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd

☐ Mob Phone/WeChat: +86-13410541523

☐ **HK Telephone**: +852-67653519

Telephone: +86-755-23215133

Email: ruby@shumatt.com

Website: www.shumatt.com

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Shenzhen Office: Exit C, Qiao Touxi Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

Hong Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

After-sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.9. X39800300006Z Fuel Pump VCV Valve Warranty Instructions)

5.2. Sales-men's Contact Information

No. Name		WeChat/WhatsApp	Email	
THUM'S TH	Ruby	+86-13410541523	ruby@shumatt.com	

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website : www.shumatt.com



2	lvy	+86-18025299821	sales@shumatt.com				
SHU13	Rebecca	+86-18025349821	sales01@shumatt.com				
4	Janny	+86-18028749821	sales02@shumatt.com				
5	Sam	+86-13316859821	Sales8@shumatt.com				
SHUM6	Natalie	+86- 18938945856	sales15@shumatt.com				
7	Ada	+86-1342286353	sales5@shumatt.com				
8	Hison Li	+86-18318811871	web@shumatt.com				
SHUN9	Mecca	+86-18938948618	sales11@shumatt.com				
10	Eric	+86 18319033618	sales3@shumatt.com				
11111	Wayne (Joaquín en español)	+86-13316959821	wayne@shumatt.com				
12	Sylvia	+86 18312499884	sales6@shumatt.com				
Tremue	Visit http://shumatt.com to obtain the latest information of salesmen						

PS: Shumatt's sales-men's emails are all end with @shumatt.com

6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds, or videos, etc.) provided in "X39800300006Z Fuel Pump VCV Valve Technical File" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "X39800300006Z Fuel Pump VCV Valve Technical File" in any way. At the same time, any conditions to spread, re-post, display the contents of "X39800300006Z Fuel Pump VCV Valve Technical File" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "X39800300006Z Fuel Pump VCV Valve Technical File" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

© 2025 Shenzhen Shumatt Technology Co., Ltd

Email: ruby@shumatt.com Website : www.shumatt.com