

X39-800-300-018Z Fuel Pump Metering Unit Technical File

SKU: G1H9800300018Z



X39-800-300-018Z Fuel Pump Metering Unit Technical File

content

| | |
|---|----|
| 1. X39-800-300-018Z Fuel Pump Metering Unit Introduction | 2 |
| 1.1. X39-800-300-018Z Fuel Pump Metering Unit Basic Information | 2 |
| 1.2. X39-800-300-018Z Fuel Pump Metering Unit Application Fuel Pump Information | 2 |
| 1.3. X39-800-300-018Z Fuel Pump Metering Unit Specifications and Dimensions | 2 |
| 1.4. X39-800-300-018Z Fuel Pump Metering Unit Quality Control | 2 |
| 1.5. X39-800-300-018Z Fuel Pump Metering Unit Customized Service | 2 |
| 1.6. X39-800-300-018Z Fuel Pump Metering Unit Packing List and Package Size | 3 |
| 1.7. X39-800-300-018Z Fuel Pump Metering Unit Warranty Instructions | 4 |
| 1.8. X39-800-300-018Z Fuel Pump Metering Unit Manufacturer | 5 |
| 2. X39-800-300-018Z Fuel Pump Metering Unit Technical Support | 5 |
| 2.1. X39-800-300-018Z Fuel Pump Metering Unit Technical Support Obtaining Methods | 5 |
| 3. X39-800-300-018Z Fuel Pump Metering Unit Purchase and Delivery | 5 |
| 3.1. X39-800-300-018Z Fuel Pump Metering Unit Purchase Payment Term | 5 |
| 3.2. X39-800-300-018Z Fuel Pump Metering Unit Main Sales Markets | 5 |
| 3.3. X39-800-300-018Z Fuel Pump Metering Unit Declaration Requirements | 5 |
| 3.4. X39-800-300-018Z Fuel Pump Metering Unit Shipping Ways | 5 |
| 3.5. X39-800-300-018Z Fuel Pump Metering Unit Lead time | 5 |
| 3.6. X39-800-300-018Z Fuel Pump Metering Unit Logistics Time for Destination Out of China's Areas | 5 |
| 3.7. X39-800-300-018Z Fuel Pump Metering Unit Packing | 6 |
| 4. X39-800-300-018Z Fuel Pump Metering Unit Storage Standard | 7 |
| 5. Company Information | 8 |
| 5.1. Company Introduction | 9 |
| 5.2. Sales-men's Contact Information | 9 |
| 6. Copyright Statement | 10 |

X39-800-300-018Z Fuel Pump Metering Unit Technical File

1. X39-800-300-018Z Fuel Pump Metering Unit Introduction

1.1. X39-800-300-018Z Fuel Pump Metering Unit Basic Information

| Title | Common Rail X39-800-300-018Z Fuel Pump Metering Unit | Quality |
|-------|--|----------------|
| SKU | G1H9800300018Z | China Made New |

1.2. X39-800-300-018Z Fuel Pump Metering Unit Application Fuel Pump Information

(1) Fuel Pump Metering Unit Application Car Model Information

| Fuel Pump Metering Unit Part Number | Car Model | OE Number | OE Number |
|-------------------------------------|-----------|-----------|-----------|
| X39-800-300-018Z | / | / | / |

(2) Fuel Pump Metering Unit Application Fuel Pump Model Information

| Series Configuration | Fuel Pump Part Number | System Pressure | Re-manufactured Number | System Pressure |
|----------------------|-----------------------|-----------------|------------------------|-----------------|
| / | / | / | / | / |

(3) Fuel Pump Metering Unit Part Number Common Writing

X39-800-300-018Z,

1.3. X39-800-300-018Z Fuel Pump Metering Unit Specifications and Dimensions

Fuel Pump Metering Unit Size: 7cm*6 cm *4 cm

Fuel Pump Metering Unit Package Size: 9 cm * 8 cm * 6 cm

Fuel Pump Metering Unit Net Weight: 190g

Fuel Pump Metering Unit Gross Weight: 240g

Fuel Pump Metering Unit MOQ: 4 Pieces

1.4. X39-800-300-018Z Fuel Pump Metering Unit Quality Control

(1) Fuel Pump Metering Unit Testing

All fuel pump metering unit spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Fuel Pump Metering Unit Inspection

The factory inspection of the fuel pump metering unit is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same fuel pump metering unit for more than three times for factory inspection, and the fuel pump metering unit installation testing environment are progressed in dust-free workshop.

(3) Fuel Pump Metering Unit Assembling

When assembling the oil pump VCV valve, our company strictly follows the standard oil pump VCV valve technical indicators to ensure that each oil pump VCV valve meets the factory standards and usage standards.

1.5. X39-800-300-018Z Fuel Pump Metering Unit Customized Service

(1) **Fuel Pump Metering Unit's Customized Service Coverage:** Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, fuel pump metering unit internal packaging, fuel pump metering unit external packaging and labels customized, etc.

| No. | 1 | 2 | 3 |
|-------|---|--|---|
| Image |  |  |  |
| Name | Neutral Engraving | Shumatt Yellow Packaging | Shumatt White Label |
| No. | 4 | 5 | 6 |
| Image |  | / | / |
| Name | Neutral Brown Packaging | / | / |

(2) **Fuel Pump Metering Unit's Customized Service Requirements:**

The quantity of customized fuel pump metering unit packages shall not be less than **100 pieces**.




The quantity of customized fuel pump metering units shall not be less than **100 pieces**.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

▲ **Once the customized fuel pump metering unit is sold, it cannot be returned or exchanged if there is no quality problem.**

1.6. X39-800-300-018Z Fuel Pump Metering Unit Packing List and Package Size

(1) **Fuel Pump Metering Unit Spare Parts List**

| No. | 1 | 2 | 3 |
|-------------|---|--|---|
| Image |  |  |  |
| Name | Fuel Pump Metering Unit Assy | Shumatt Anti-rust Bag | Metering Unit Packaging Box |
| Description | Measuring unit number: X39-800-300-018Z | Prevent metering unit from rusting | Prevent the metering unit from being damaged |

- ⚠ Minors are forbidden to use the fuel pump metering unit assembly, anti-rust bag, and packaging box to avoid personal injury.
- ⚠ The measuring unit packaging box is recyclable accessories and can be recycled.
- ⚠ VCI anti-rust bags are non-degradable materials, please dispose them properly after using.

1.7. X39-800-300-018Z Fuel Pump Metering Unit Warranty Instructions

(1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the fuel pump metering unit inspection equipment when the fuel pump metering unit is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

(2) Fuel Pump Metering Unit Warranty Coverage

Within 15 days after customer receives the X39-800-300-018Z fuel pump metering unit, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the X39-800-300-018Z fuel pump metering unit has performance problems during the warranty period (3 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the product is confirmed to be fault-free, it will be returned in its original condition.

(3) Fuel Pump Metering Unit Out of Warranty Coverage

- ① The warranty period has expired.
- ② Fuel pump metering unit failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Fuel pump metering unit damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ④ Fuel pump metering unit failure or VCV Valve damage caused by non-fuel pump metering unit design, technology, manufacturing, quality, and other issues.
- ⑤ Fuel pump metering unit failure due to system pressure exceeding system approved pressure.
- ⑥ Fuel pump metering unit failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑦ Fuel pump metering unit failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑧ Fuel pump metering unit failure caused by not following the installation angle specified in the fuel pump maintenance manual.
- ⑨ Fuel pump metering unit failure caused by not following the cleaning requirements specified in the fuel pump maintenance manual.
- ⑩ Fuel pump metering unit failure caused by failure to replace consumable parts as specified in the fuel pump maintenance manual.

1.8. X39-800-300-018Z Fuel Pump Metering Unit Manufacturer

Fuel Pump Metering Unit's Manufacturer: Shenzhen Shumatt Technology Co., Ltd

2. X39-800-300-018Z Fuel Pump Metering Unit Technical Support

2.1. X39-800-300-018Z Fuel Pump Metering Unit Technical Support Obtaining Methods

(1) Fuel Pump Metering Unit Technical File , visit <http://shumatt.com> to get the technical file.

(2) Fuel Pump Metering Unit Technical Videos

Facebook: Visit <https://www.facebook.com/hison.li> to get the technical videos, constantly follow can get more information.

YouTube: https://www.youtube.com/channel/UCByvYBx7ViV_mAfxh_Hu-aw to get the technical videos, constantly follow can get more information.

Shumatt: Visit <http://shumatt.com> to get the technical videos.

(3) Fuel Pump Metering Unit Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <http://shumatt.com> to get the download and installation tutorial

(4) Search The fuel pump metering unit test data through TruckBook Parts EPC APP.

3. X39-800-300-018Z Fuel Pump Metering Unit Purchase and Delivery

3.1. X39-800-300-018Z Fuel Pump Metering Unit Purchase Payment Term

Payment Terms: T/T, PayPal, Alipay, WeChat

▲ Please contact our salesmen for specific payment information.

3.2. X39-800-300-018Z Fuel Pump Metering Unit Main Sales Markets

Fuel Pump Metering Unit main sales markets: Asia, Europe, North America, South America, Africa etc.

3.3. X39-800-300-018Z Fuel Pump Metering Unit Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. X39-800-300-018Z Fuel Pump Metering Unit Shipping Ways

Destination in China Areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations Out of China's Areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. X39-800-300-018Z Fuel Pump Metering Unit Lead time

Lead time: Send out within 3 – 7 working days after receiving payment (Except for special products and special cases)

3.6. X39-800-300-018Z Fuel Pump Metering Unit Logistics Time for Destination Out of China's Areas

DHL Logistics Time :

| Country or Region of Departure | Hong Kong, China | Other Countries or Regions of Asia | Australia and New Zealand | Europe | America | Other Countries |
|--------------------------------|------------------|------------------------------------|---------------------------|--------|-----------|-----------------|
| China's Mainland | 7 Days | 7 Days | 8 Days | 8 Days | 8-12 Days | 7-10 Days |

UPS Logistics Time: Country or Region of Departure: China's Mainland

| Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time |
|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Japan | 3 Days | UK | 5-7Days | Egypt | 5-7 Days |
| Turkey | 5-7 Days | Singapore | 3 Days | Switzerland | 5-7 Days |
| Bahrain | 5-7 Days | Latvia | 7-10 Days | New Zealand | 7-10 Days |
| Sri Lanka | 5-7 Days | Thailand | 3 Days | Austria | 5-7 Days |
| Romania | 5-7 Days | Vietnam | 3-5 Days | Estonia | 5-7 Days |
| Malaysia | 3-5 Days | Israel | 5-7 Days | Mexico | 7-10 Days |
| France | 5-7 Days | America | 5-7 Days | United Arab Emirates | 5-7 Days |
| Italy | 5-7 Days | Netherlands | 5-7 Days | Bengal | 7-10 Days |
| Lebanon | 5-7 Days | Philippine | 3-5 Days | Greece | 7-10 Days |
| South Korea | 3 Days | Spain | 5-7 Days | Myanmar | 5-7 Days |
| Canada | 5-7 Days | Germany | 5-7 Days | Saudi Arabia | 7-10 Days |
| Portugal | 5-7 Days | Australia | 5-7 Days | South Africa | 7-10 Days |
| Denmark | 5-7 Days | Belgium | 5-7 Days | Ukraine | 7-10 Days |
| India | 7-10 Days | Qatar | 7-10 Days | Poland | 5-7 Days |
| Indonesia | 3-5 Days | Morocco | 7-10 Days | Pakistan | 7-10 Days |
| Kuwait | 7-10 Days | / | / | / | / |

⚠ The logistics time is for reference only and is subject to the actual arrival.

3.7. X39-800-300-018Z Fuel Pump Metering Unit Packing

Domestic express packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.

International express packaging: Wrapped with waterproof yellow tape After wrapping the black protective

film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

- ⚠ The packing tray is made of plastic and can be recycled.
- ⚠ Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.
- ⚠ Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.



Pic No. 1

Domestic express packaging:
Wrapped with Transparent tape



Pic No. 2

International express packaging:
Wrapped with yellow tape after wrapping black protective film



Pic No. 3

Pallet Shipping: Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. X39-800-300-018Z Fuel Pump Metering Unit Storage Standard

(1) Choose a suitable storage place

The warehouse and cargo yard where the fuel pump metering unit is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkali,

salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict requirements of warehousing

Strict inspections should be carried out when the fuel pump metering units are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash, and other dirt, remove the rust and do anti-rust treatment in time. Packaged fuel pump metering units must be protected from damage.

(3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for the fuel pump metering units placed in the room, and the corrosion of the fuel pump metering units is significantly reduced.

Fuel Pump Metering Units must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the fuel pump metering unit is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the fuel pump metering unit from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If the fuel pump metering unit package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

- ⚠ It is forbidden to leave the fuel pump metering unit exposed in the air for a long time.
- ⚠ It is forbidden to store acids, alkali, salt, and other substances together with the fuel pump metering unit.
- ⚠ The unpacked fuel pump metering unit must be rust-proof during secondary storage.

5. Company Information




-  Office Locations
-  Global Exhibitions


5.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd


 **Mob Phone/WeChat:** +86-13410541523


 **HK Telephone:** +852-67653519

 **Telephone:** +86-755-23215133


 **Email:** ruby@shumatt.com

 **Website:** www.shumatt.com

 **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

 **Shenzhen Office:** Exit C, Qiao Touxu Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

 **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

 **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.9. X39-800-300-018Z Fuel Pump Metering Unit Warranty Instructions](#))

5.2. Sales-men's Contact Information

Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com

© 2026 Shenzhen Shumatt Technology Co., Ltd

Tel: +8675523215133

Website : www.shumatt.com

| No. | Name | WeChat/WhatsApp | Email |
|--|------------------------------|------------------|---------------------|
| 1 | Ruby | +86-13410541523 | ruby@shumatt.com |
| 2 | Ivy | +86-18025299821 | sales@shumatt.com |
| 3 | Rebecca | +86-18025349821 | sales01@shumatt.com |
| 4 | Janny | +86-18028749821 | sales02@shumatt.com |
| 5 | Sam | +86-13316859821 | Sales8@shumatt.com |
| 6 | Natalie | +86- 18938945856 | sales15@shumatt.com |
| 7 | Ada | +86-1342286353 | sales5@shumatt.com |
| 8 | Hison Li | +86-18318811871 | web@shumatt.com |
| 9 | Mecca | +86-18938948618 | sales11@shumatt.com |
| 10 | Eric | +86 18319033618 | sales3@shumatt.com |
| 11 | Wayne (Joaquín en español) | +86-13316959821 | wayne@shumatt.com |
| 12 | Sylvia | +86 18312499884 | sales6@shumatt.com |
| Visit http://shumatt.com to obtain the latest information of salesmen | | | |
| PS: Shumatt's sales-men's emails are all end with @shumatt.com | | | |

6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds, or videos, etc.) provided in "*X39-800-300-018Z Fuel Pump Metering Unit Technical File*" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "*X39-800-300-018Z Fuel Pump Metering Unit Technical File*" in any way. At the same time, any conditions to spread, re-post, display the contents of "*X39-800-300-018Z Fuel Pump Metering Unit Technical File*" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "*X39-800-300-018Z Fuel Pump Metering Unit Technical File*" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.